

(11) Publication number: 2001052759 A

Generated Document.

## PATENT ABSTRACTS OF JAPAN

(51) Intl. Cl.: **H01M 10/40** H01M 2/02 H01M 2/04 H01M (21) Application number: **2000203267** 2/06 H01M 2/12 H01M 2/26 H01M 2/30

H01M 2/34 H01M 2/36

(22) Application date: **05.07.00** 

(30) Priority: **08.07.99 FR 99 9908847** 

(43) Date of application

publication:

23.02.01

(84) Designated contracting

states:

(71) Applicant: ALCATEL

(72) Inventor: SOULIAC LAURENT

FRADIN JEAN

**RIGOBERT GERARD** 

(74) Representative:

## (54) SEALED STORAGE BATTERY HAVING ALUMINUM TERMINAL


(57) Abstract:

PROBLEM TO BE SOLVED: To provide a reliable sealed high-capacity storage battery having a substantially cylindrical container, two terminals at two end parts of the substantially cylindrical container, one terminal being small, and high efficiency over the service life period of the battery, including a current collecting device formed of aluminum.

SOLUTION: This cylindrical high-capacity sealed storage battery 1 has a terminal containing aluminum in one end part 2. At least a part of the one end part 2 is located under a cover 8 and is provided with an aluminum cover formed so as to be abutted on an external electric connection component 3 of the battery by a clamp means 15 in cooperation with an outside assembly means 4. The clamp means is formed of a material selected from a group

comprising stainless steel, nickelplated steel, copper or brass, and the cover of the battery is sealed by a metal sealing cap 14 located under the cover.

COPYRIGHT: (C)2001,JPO



## The Delphion Integrated View

Buy Now: More choices...

Tools: Add to Work File: Create new Work File

(Co

View: INPADOC | Jump to: Top

Go to: Derwent...

Email this to a friend

**8** Title:

JP2001052759A2: SEALED STORAGE BATTERY HAVING ALUMINUM

**TERMINAL** 

**P** Country:

JP Japan

PKind:

A2 Document Laid open to Public inspection i

PInventor:

**SOULIAC LAURENT:** 

**FRADIN JEAN**;

RIGOBERT GERARD;

PAssignee:

ALCATEL

News, Profiles, Stocks and More about this company

Published / Filed:

Feb. 23, 2001 / July 5, 2000

**P**Application Number:

JP20002000203267

PIPC Code:

H01M 10/40; H01M 2/02; H01M 2/04; H01M 2/06; H01M 2/12;

H01M 2/26; H01M 2/30; H01M 2/34; H01M 2/36;

Priority Number:

July 8, 1999 FR1999000008847

**8** Abstract:

PROBLEM TO BE SOLVED: To provide a reliable sealed highcapacity storage battery having a substantially cylindrical container, two terminals at two end parts of the substantially cylindrical container, one terminal being small, and high efficiency over the service life period of the battery, including a current collecting device formed of aluminum.

SOLUTION: This cylindrical high-capacity sealed storage battery 1 has a terminal containing aluminum in one end part 2. At least a part of the one end part 2 is located under a cover 8 and is provided with an aluminum cover formed so as to be abutted on an external electric connection component 3 of the battery by a clamp means 15 in cooperation with an outside assembly means 4. The clamp means is formed of a material selected from a group comprising stainless steel, nickel-plated steel, copper or brass, and the cover of the battery is sealed by a metal sealing cap 14 located under the cover.

COPYRIGHT: (C)2001,JPO

Country:

DE FR GB

& Family:

Show 6 known family members

Other Abstract Info:

CHEMABS 134(08)103233T DERABS G2001-125761











View ∙ Image

1 page

© 1997-2002 Delphion, Inc.

Research Subscriptions | Privacy Policy | Terms & Conditions | Site Map | Contact Us